


# MEDIA INFORMATION 2023





















## 2023 SCHEDULE

ISSUES	COPY DEADLINES	SUPPLEMENTS & POSTERS	THEMES & FEATURES	TRADE SHOWS & EVENTS (ALL DATES SUBJECT TO CHANGE IN VIEW OF THE COVID-19 PANDEMIC)	ON SALE DATE
FEBRUARY 2023	16/12/2022		French focus		25/01/2023
MARCH 2023	24/01/2023			BVMA 12 March. ASTA 15-18 March	22/02/2023
APRIL 2023	22/02/2023		German focus	ESTA 2-6 April. NAMM 13-15 April	22/03/2023
MAY 2023	17/03/2023	Degrees		Musicora 26-28 May	19/04/2023
JUNE 2023	21/04/2023	Cremona			17/05/2023
JULY 2023	19/05/2023	Accessories Poster			21/06/2023
AUGUST 2023	23/06/2023				19/07/2023
SEPTEMBER 2023	21/07/2023		Education focus	Cremona Musica. 22-24 September	16/08/2023
OCTOBER 2023	16/08/2023			Music China 11-14 October	13/09/2023
NOVEMBER 2023	14/09/2023	Poster	North American focus		11/10/2023
DECEMBER 2023	19/10/2023	Directory			15/11/2023
JANUARY 2024	16/11/2023	String Courses			13/12/2023
CALENDAR 2024	03/08/2023				05/09/2023
DIRECTORY 2024	05/10/2023				15/11/2023



PUBLISHING SCHEDULE

PRINT RATES

PRINT SPECS

DIRECTORY

DIGITAL

RECRUITMENT >





# **ADVERTISING RATES 2023**

in Pounds Sterling (excluding VAT).

DISPLAY AD	NUMBER OF INSERTIONS IN TWELVE MONTHS			
	SINGLE	FOUR	SIX	TWELVE
DPS	£6,500	£5,800	£5,300	£4,500
Page	£3,500	£3,000	£2,900	£2,300
Half page	£2,100	£1,900	£1,800	£1,500
Quarter page	£1,300	£1,100	£1,000	£900

COVERS		
Outside Back Cover	£4,400	
Inside Front Cover	£4,000	
Inside Back Cover	£3,900	

### **CLASSIFIEDS**

**6x2** (60mm high x 90mm wide) £380 (1/8 page equivalent) **3x2** (30mm high x 90mm wide) £200 (1/16 page equivalent)

Lineage (text only) - £33 up to 15 words, £1.70 per each extra word

### **SUPPLEMENTS**

String Courses, Degrees, Cremona, Accessories Rates as per above Calendar - Instrument/month sponsor £3,500 Poster - Sponsorship £2,300









### SPECIFICATIONS

### **DISPLAY ADVERTS**




### **DOUBLE PAGE SPREAD**

Type area 260mm x 394mm Trim 295mm (h) x 430mm (w) Bleed 301mm x 436mm Gutter 50mm (25mm on each page)




**FULL PAGE BLEED** 

Type area 260mm x 180mm Trim 295mm (h) x 215mm (w) Bleed 301mm x 221mm




**FULL PAGE** 

260mm (h) x 180mm (w)




HALF PAGE HORIZONTAL BLEED

Type area 127mm x 180mm Trim 145mm (h) x 215mm (w) Bleed 148mm x 221mm




HALF PAGE HORIZONTAL

127mm (h) x 180mm (w)




HALF PAGE VERTICAL BLEED


Type area 260mm x 86mm Trim 295 mm (h) x 107mm (w) Bleed 301mm x 110mm



HALF PAGE VERTICAL 260mm (h) x 86mm (w)



**OUARTER PAGE VERTICAL** 127mm (h) x 86mm (w)



**OUARTER PAGE HORIZONTAL** 62mm (h) x 180mm (w)

### PREFERRED FORMAT - PRINT-READY PDF

- > PDF files should be Acrobat 3.0 compatible; Composite PDF, CMYK colour space; contain one page per PDF document; Colour bitmap images, CMYK - effective resolution 300 dpi; Greyscale bitmap images - effective resolution 300dpi; Monochrome bitmap images (linework) effective resolution 1200 dpi; 3mm bleed should be included on all sides where necessary; Crop marks should be included and offset by 10pt.
- > PDFs that are supplied in RGB will be converted to CMYK and this may result in a colour variation.
- The original document, prior to PDF, should not contain copy-dot scans, JPEG images, Multiple Master Fonts or Pantone colours; A hard copy of the proof should be supplied, generated directly from the PDF file that is supplied. A colour proof is required for colour checking, all other proofs will be used for checking content only.
- The file content is the responsibility of the originator.
- Keep live text and all important matter within Type area.

### OTHER FORMATS

> Other formats are accepted if you are unable to supply a print-ready PDF. Please contact production directly for details.

### **COLOUR PROOFS**

> In order to ensure accuracy of colour reproduction, we strongly recommend that advertisers supply a colour proof that is a true representation of the colours; Cromalins or iris proofs are the preferred format. We cannot guarantee the accuracy of colour of the printed advertisement if a proof is not supplied.

### PRODUCTION CONTACT DETAILS

+44 (0)20 7618 3474 Email advertising@thestrad.com



READERSHIP

**PUBLISHING SCHEDULE** 

PRINT RATES

PRINT SPECS

DIRECTORY

DIGITAL

RECRUITMENT





## **INSERT RATES 2023**

in Pounds Sterling (excluding VAT for UK advertisers).

FOR INSERTS UP TO 20g		
Full Run - 12,000 copies	£2,700	
UK Only - 3,600 copies	£1,200	
Europe (excl. UK) - 2,000 copies	£800	
North America - 4,000 copies	£1,500	

FOR INSERTS OVER 20g ADD:		
Full Run	£31p/g	
UK Only	£11p/g	
Europe (excl. UK)	£17p/g	
North America	£25p/g	

### **INSERT SPECIFICATION**

Inserts must be clearly marked [title of magazine, issue date of magazine, name of insert, supplier of insert] and sent to the following addresses:

FAO Gary Whittington CitySprint Unit 8 Quadrant Court Crossways Business Park Dartford DA9 9AY

For US Subs copies (4,000)

Inserts to be bundled into 20's boxed and packed into pallets. Boxes need to be double strapped lengthways and sideways to the pallets and then banded and shrink wrapped.

Delivery address:

ATTN: CRG Distribution (Karen/Tim)

Air Business The Beacon Mosquito Way Hatfield AL10 9WN

### **SPECIFICATIONS**

200mm (w) x 285mm (h) – (Please note this is smaller than A4) Maximum pagination 32pp Maximum weight 80g

Copy of the insert needs to be sent to *The Strad* office prior to placement into the magazine.



PUBLISHING SCHEDULE

PRINT RATES

PRINT SPECS

DIRECTORY

DIGITAL

RECRUITMENT





## 2023 DIRECTORY RATES

in Pounds Sterling (excluding VAT for UK advertisers).

COVERS		
Front Cover	£6,200	
Outside Back Cover	£5,000	
Inside Front Cover	£4,000	
Inside Back Cover	£3,700	

DISPLAY ADVERTISING (H X W)		
Full Page (224mm x 143mm)	£3,500	
Half Page (110mm x 143mm)	£2,100	
Quarter Page (110mm x 94mm)	£1,300	
<b>Logo</b> (25mm x 45mm)	£360	

### **DIVIDERS, BOOKMARKS**

£4,000/each





PUBLISHING SCHEDULE READERSHIP

PRINT RATES

PRINT SPECS

DIRECTORY


DIGITAL

RECRUITMENT >






## DIRECTORY SPECIFICATIONS



FULL PAGE BLEED
Type 210mm (h) x 143mm (w)
Trim 260mm x 170mm
Bleed 266mm x 176mm



HALF PAGE HORIZONTAL 110mm (h) x 143mm (w)




HALF PAGE VERTICAL (2 COLS) 224 (h) x 94mm (w)



QUARTER PAGE (2 COLS) 110mm (h) x 94mm (w)



LOGO (1 COL) 25mm (h) x 45mm (w)



BOOKMARK Type 243mm (h) x 43mm (w) Trim 250mm x 50mm Bleed 256mm x 56mm

#### PREFERRED FORMAT - PRINT-READY PDF

- > PDF files should be Acrobat 3.0 compatible; Composite PDF, CMYK colour space; contain one page per PDF document; Colour bitmap images, CMYK effective resolution 300 dpi; Greyscale bitmap images effective resolution 300dpi; Monochrome bitmap images (linework) effective resolution 1200 dpi; 3mm bleed should be included on all sides where necessary; Crop marks should be included and offset by 10pt.
- > PDFs that are supplied in RGB will be converted to CMYK and this may result in a colour variation.
- > The original document, prior to PDF, should not contain copy-dot scans, JPEG images, Multiple Master Fonts or Pantone colours; A hard copy of the proof should be supplied, generated directly from the PDF file that is supplied. A colour proof is required for colour checking, all other proofs will be used for checking content only.
- > The file content is the responsibility of the originator.
- > Keep live text and all important matter within Type area.

#### OTHER FORMATS

> Other formats are accepted if you are unable to supply a print-ready PDF. Please contact production directly for details.

### **COLOUR PROOFS**

> In order to ensure accuracy of colour reproduction, we strongly recommend that advertisers supply a colour proof that is a true representation of the colours; Cromalins or iris proofs are the preferred format. We cannot guarantee the accuracy of colour of the printed advertisement if a proof is not supplied.

### PRODUCTION CONTACT DETAILS

Tel +44 (0)20 7618 3474 Email advertising@thestrad.com



